Contents

No. 1 1–184 issued in May 1989
No. 2/3 185–538 June 1989

Acknowledgement to referees 536
Akiyama → Ueguchi 1
Amikam D → Valla S 26
Andrade HHR de, Marques EK, Schenberg ACG, Henriques JAP: The *PSO4* gene is responsible for an error-prone recombinational DNA repair pathway in Saccharomyces cerevisiae 419
Angermüller S → Schöffl F 246
Apel K → Schulz R 355
Apirion D → Subbarao MN 499
Archer JAK → Boyd AC 488
Ardourel M → Gutierrez C 347
Arnold W → Wohlleben W 202
Asch DK → Frederick GD 294
Aubert E → Wohlleben W 202

Baker B → Hehl R 53
Barry GF → Wohlleben W 202
Baulcombe DC → Martienssen RA 401
Baumann G → Schöffl F 246
Behnke D → Breitling R 384
Benjamin PM, Wu J, Mitchell AP, Magasanik B: Three regulatory systems control expression of glutamine synthetase in *Saccharomyces cerevisiae* at the level of transcription 370
Benziman M → Valla S 26
Bevan M → Schöffl F 246
Birch A → Häusler A 437
Birch A, Häusler A, Vögtli M, Krek W, Hütter R: Extremely large chromosomal deletions are intimately involved in genetic instability and genomic rearrangements in *Streptomyces glaucescens* 447
Bissonnette L → Wohlleben W 202
Boos W → Gutierrez C 347
Boulet A → Levra-Juillet E 168
Boyd AC, Archer JAK, Sherratt DJ: Characterization of the ColE1 mobilization region and its protein products 488
Brandt A → Sørensen MB 195
Braun V → Köster W 233
Braun V → Schöffler H 378
Breitling R, Gerlach D, Hartmann M, Behnke D: Secretory expression in *Escherichia coli* and *Bacillus subtilis* of human interferon α genes directed by staphylokinase signals 384
Bremer E → Gutierrez C 347
Broughton WJ → Stanley J 528
Burke JF → Martin R 411
Buttarelli FR, Calogero RA, Tiboni O, Gualerzi CO, Pon CL: Characterization of the *str* operon genes from *Spirulina platensis* and their evolutionary relationship to those of other prokaryotes 97

Calogero RA → Buttarelli FR 97
Cameron-Mills V → Sørensen MB 195
Cavard D, Howard SP, Lloubes R, Lazdunski C: High-level expression of the colicin A lysis protein 511
Chang S-F → Tu J 505
Charng Y-C → Tu J 505
Chet I → Kless H 471
Chow THC, Sollitti P, Marmur J: Structure of the multigene family of *MAL* loci in *Saccharomyces* 60
Cianzio SR → Polacco JC 257
Cleton-Jansen A-M, Goosen N, Vink K, Putte P van de: Cloning, characterization and DNA sequencing of the gene encoding the M_r 50000 quinoprotein glucose dehydrogenase from *Acinetobacter calcoaceticus* 430
Cohen SN → Grant SR 324
Condie JA → Lau PCK 269
Coucheron DH → Valla S 26

Damm B, Schmidt R, Willmitzer L: Efficient transformation of *Arabidopsis thaliana* using direct gene transfer to protoplasts 6
Daub W → Eckes P 263
Davies J → Wohlleben W 202
Díaz R → Ortega S 111
Dobrinski B → Tu J 505
Dowling DN → Stanley J 528
DuBow MS → Levin DB 392
Dybing JK → Polacco JC 257
Dzidic S, Radman M: Genetic requirements for hyper-recombination by very short patch mismatch repair: Involvement of *Escherichia coli* DNA polymerase I 254

Eckerskorn C → Neumann H 105
Eckes P, Schmitt P, Daub W, Wengenmayer F: Overproduction of alfalfa glutamine synthetase in transgenic tobacco plants 263
Ehmann U → Gutierrez C 347
Estruch F → Martínez-García JF 464

Faye G → Levra-Juillet E 168
Finan T → Stanley J 528
Fjærvik E → Valla S 26
Forreiter C → Schulz R 355
Forsbach V → Körte A 162
Frederick GD, Asch DK, Kinsey JA: Use of transformation to make targeted sequence alterations at the *am* (GDH) locus of *Neurospora* 294
Frey M, Tavantzis SM, Saedler H: The maize *En-1/Spm* element transposes in potato 172
Froman BE, Tait RC, Gottlieb LD: Isolation and characterization of the phosphoglucose isomerase gene from *Escherichia coli* 126
Fujita H → Taniguchi H 317

Gamboa GC → Wohlleben W 202
Gerlach D → Breitling R 384
Goosen N → Cleton-Jansen A-M 430
Gottenöf T → Körte A 162
Gottlieb LD → Froman BE 126
Gräbnitz F, Rücknagel KP, Seiß M, Staudenbauer WL: Nucleotide sequence of the *Clostridium thermocellum bglB* gene encoding thermostable β-glucosidase B: Homology to fungal β-glucosidases 70
Grant SR, Lee SC, Kendall K, Cohen SN: Identification and characterization of a locus inhibiting extrachromosomal maintenance of the *Streptomyces* plasmid SLP1 324
Gray JC → Purton S 77
Grimsley N, Hohn B, Ramos C, Kado C, Rogowsky P: DNA transfer from *Agrobacterium* to *Zea mays* or *Brassica* by agroinfection is dependent on bacterial virulence functions 309
Gualerzi CO → Buttarelli FR 97
Gutierrez C, Ardourel M, Bremer E, Middendorf A, Boos W, Ehmann U: Analysis and DNA sequence of the osmoregulated *treA* gene encoding the periplasmic trehalase of *Escherichia coli* K12 347

Hartmann M → Breitling R 384
Häusler A, Birch A, Krek W, Piret J, Hütter R: Heterogeneous genomic amplification in *Streptomyces glaucescens*: Structure, location and junction sequence analysis 437
Häusler A → Birch A 447
Hehl R, Baker B: Induced transposition of *Ds* by a stable *Ac* in crosses of transgenic tobacco plants 53
Henriques JAP → Andrade HHR de 419
Heywood LA → Martin R 411
Hiller C → Schulz R 355
Hines R → Jonczyk P 85
Hinton JCD, Sidebotham JM, Hyman LJ, Pérombelon MCM, Salmond GPC: Isolation and characterisation of transposon-induced mutants of *Erwinia carotovora* subsp. *atroseptica* exhibiting reduced virulence 141
Hirai A → Hiratsuka J 185
Hiratsuka J, Shimada H, Whittier R, Ishibashi T, Sakamoto M, Mori M, Kondo C, Honji Y, Sun C-R, Meng B-Y, Li Y-Q, Kanno A, Nishizawa Y, Hirai A, Shinozaki K, Sugiura M: The complete sequence of the rice (*Oryza sativa*) chloroplast genome: Intermolecular recombination between distinct tRNA genes accounts for a major plastid DNA inversion during the evolution of the cereals 185
Hofmann A → Tröster H 533
Hohn B → Grimsley N 309
Holtel A, Merrick MJ: The *Klebsiella pneumoniae* P_{II} protein (*glnB* gene product) is not absolutely required for nitrogen regulation and is not involved in NifL-mediated *nif* gene regulation 474
Honji Y → Hiratsuka J 185
Howard SP → Cavard D 511

Hughes P, Landoulsi A, Kern R, Kohiyama M: *Dam* methylated and hemimethylated *oriC* plasmids are replicated symmetrically; a novel and general test of replication symmetry 278
Humayun MZ → Sahasrabudhe S 20
Hurley SK → Richardson IB 118
Hüttenhofer A → Weiss-Brummer B 362
Hütter R → Birch A 447
Hütter R → Häusler A 437
Hyman LJ → Hinton JCD 141
Hynes MJ → Richardson IB 118

Icho T → Kang W-K 281
Iordanescu S: Specificity of the interactions between the Rep proteins and the origins of replication of *Staphylococcus aureus* plasmids pT181 and pC221 481
Ishibashi T → Hiratsuka J 185
Isono K → Kang W-K 281
Isono K → Tanaka S 289
Isono S → Kang W-K 281
Itikawa H → Taniguchi H 317
Ito K → Ueguchi C 1

Ji J → Sargent RG 13
Jonczyk P, Hines R, Smith DW: The *Escherichia coli dam* gene is expressed as a distal gene of a new operon 85
Judd AK → Polacco JC 257

Kadner RJ → Rioux CR 301
Kado C → Grimsley N 309
Kagan SA → Wohlleben W 202
Kang W-K, Icho T, Isono S, Kitakawa M, Isono K: Characterization of the gene *rimK* responsible for the addition of glutamic acid residues to the C-terminus of ribosomal protein S6 in *Escherichia coli* K12 281
Kanno A → Hiratsuka J 185
Kato J, Nishimura Y, Suzuki H: *Escherichia coli parA* is an allele of the *gyrB* gene 178
Kendall K → Grant SR 324
Kern R → Hughes P 278
Kinsey JA → Frederick GD 294
Kissel W → Tröster H 533
Kitakawa M → Kang W-K 281
Kjosbakken J → Valla S 26
Klaas M → Schulz R 355
Kleibl K → Sedliaková M 427
Kleinhofs A → Melzer JM 341
Kless H, Sitrit Y, Chet I, Oppenheim AB: Cloning of the gene coding for chitobiase of *Serratia marcescens* 471
Klösgen RB, Saedler H, Weil J-H: The amyloplast-targeting transit peptide of the *waxy* protein of maize also mediates protein transport in vitro into chloroplasts 155
Kohiyama M → Hughes P 278
Kolattukudy PE → Roberts E 223
Kondo C → Hiratsuka J 185
Körte A, Forsbach V, Gottenöf T, Rödel G: In vitro and in vivo studies on the mitochondrial import of CBS1, a translational activator of cytochrome *b* in yeast 162
Köster W, Braun V: Iron-hydroxamate transport into *Escherichia coli* K12: Localization of FhuD in the periplasm and of FhuB in the cytoplasmic membrane 233
Krek W → Birch A 447
Krek W → Häusler A 437
Kuromitsu Z → Yoshida K 31
Kurtz MB, Marrinan J: Isolation of Hem3 mutants from *Candida albicans* by sequential gene disruption 47

Landoulsi A → Hughes P 278
Lau PCK, Condie JA: Nucleotide sequences from the colicin E5, E6 and E9 operons: Presence of a degenerate transposon-like structure in the ColE9-J plasmid 269
Lazdunski C → Cavard D 511
Lee SC → Grant SR 324
Levin DB, DuBow MS: Regulation of repressor and early gene expression in Mu-like transposable bacteriophage D108 392
Levra-Juillet E, Boulet A, Séraphin B, Simon M, Faye G: Mitochondrial introns aI1 and/or aI2 are needed for the in vivo deletion of intervening sequences 168
Li Y-Q → Hiratsuka J 185
Lloubes R → Cavard D 511
Lurz R → Tu J 505

Magasanik B → Benjamin PM 370
Marmur J → Chow THC 60
Marques EK → Andrade HHR de
Marrinan J → Kurtz MB 47
Martienssen RA, Baulcombe DC: An unusual wheat insertion sequence (WIS *1*) lies upstream of an α-amylase gene in hexaploid wheat, and carries a "mini-satellite" array 401
Martin R, Mogg AE, Heywood LA, Nitschke L, Burke JF: Aminoglycoside suppression at UAG, UAA and UGA codons in *Escherichia coli* and human tissue culture cells 411
Martínez-García JF, Estruch F, Pérez-Ortín JE: Chromatin structure of the 5′ flanking region of the yeast *LEU2* gene 464
Mašek F → Sedliaková M 427
Masker W → Pierce JC 215
Mathews CK → Sargent RG 13
Matsushita Y → Tanaka S 289
McCormick S → Twell D 240
Melzer JM, Kleinhofs A, Warner RL: Nitrate reductase regulation: Effects of nitrate and light on nitrate reductase mRNA accumulation 341
Meng B-Y → Hiratsuka J 185
Merrick MJ → Holtel A 474
Middendorf A → Gutierrez C 347
Mitchell AP → Benjamin PM 370
Mogg AE → Martin R 411
Mori M → Hiratsuka J 185
Mun B → Sargent RG 13

Nakayama H → Shiota S 332
Neumann H, Schwass V, Eckerskorn C, Zillig W: Identification and characterization of the genes encoding three structural proteins of the *Thermoproteus tenax* virus TTV1 105
Nishimura Y → Kato J 178
Nishizawa Y → Hiratsuka J 185
Nitschke L → Martin R 411
Nomura M → Ueguchi C 1

Oeser B, Tudzynski P: The linear mitochondrial plasmid pCIK1 of the phytopathogenic fungus *Claviceps purpurea* may code for a DNA polymerase and an RNA polymerase 132
Ogawa N → Yoshida K 31
Ogawa N → Yoshida K 40
Oppenheim AB → Kless H 471
Ortega S, Torrontegui G de, Díaz R: Isolation and characterization of a conditional replication mutant of the antibiotic resistance factor R1 affected in the gene of the replication protein RepA 111
Oshima Y → Yoshida K 31
Oshima Y → Yoshida K 40

Pelletier A → Wohlleben W 202
Pérez-Ortín JE → Martínez-García JF 464
Pérombelon MCM → Hinton JCD 141
Peterson PA → Schnable PS 459
Pierce JC, Masker W: Genetic deletions between directly repeated sequences in bacteriophage T7 215
Piret J → Häusler A 437
Polacco JC, Judd AK, Dybing JK, Cianzio SR: A new mutant class of soybean lacks urease in leaves but not in leaf-derived callus or in roots 257
Pon CL → Buttarelli FR 97
Prat S, Willmitzer L, Sánchez-Serrano JJ: Nuclear proteins binding to a cauliflower mosaic virus 35S truncated promoter 209
Purton S, Gray JC: The plastid *rpoA* gene encoding a protein homologous to the bacterial RNA polymerase alpha subunit is expressed in pea chloroplasts 77
Putte P van de → Cleton-Jansen A-M 430

Radman M → Dzidic S 254
Ramos C → Grimsley N 309
Rasmussen S → Schulz R 355
Reeves P, Stevenson G: Cloning and nucleotide sequence of the *Salmonella typhimurium* LT2 *gnd* gene and its homology with the corresponding sequence of *Escherichia coli* K12 182
Reuter G → Wustmann G 520
Richardson IB, Hurley SK, Hynes MJ: Cloning and molecular characterisation of the *amdR* controlled *gatA* gene of *Aspergillus nidulans* 118
Rieping M → Schöffl F 246
Rioux CR, Kadner RJ: Vitamin B_{12} transport in *Escherichia coli* K12 does not require the *btuE* gene of the *btuCED* operon 301
Roberts E, Kolattukudy PE: Molecular cloning, nucleotide sequence, and abscisic acid induction of a suberization-associated highly anionic peroxidase 223
Rödel G → Körte A 162
Rogowsky P → Grimsley N 309
Ross P → Valla S 26
Roy PH → Wohlleben W 202
Rücknagel KP → Gräbnitz F 70

Saedler H → Frey M 172
Saedler H → Klösgen RB 155
Saedler H → Schnable PS 459
Sahasrabudhe S, Sambamurti K, Humayun MZ: Mutagenesis by aflatoxin in M13 DNA: Base-substitution mechanisms and the origin of strand bias 20
Sakamoto M → Hiratsuka J 185
Salmond GPC → Hinton JCD 141
Sambamurti K → Sahasrabudhe S 20
Sánchez-Serrano JJ → Prat S 209
Sargent RG, Ji J, Mun B, Mathews CK: Ribonucleotide reductase: A determinant of 5-bromodeoxyuridine mutagenesis in phage T4 13
Schenberg ACG → Andrade HHR de 419
Schmidt R → Damm B 6
Schmitt P → Eckes P 263
Schnable PS, Peterson PA, Saedler H: The *bz-rcy* allele of the *Cy* transposable element system of *Zea mays* contains a *Mu*-like element insertion 459
Schöffl F, Rieping M, Baumann G, Bevan M, Angermüller S: The function of plant heat shock promoter elements in the regulated expression of chimaeric genes in transgenic tobacco 246
Schöffler H, Braun V: Transport across the outer membrane of *Escherichia coli* K12 via the FhuA receptor is regulated by the TonB protein of the cytoplasmic membrane 378
Schulz R, Steinmüller K, Klaas M, Forreiter C, Rasmussen S, Hiller C, Apel K: Nucleotide sequence of a cDNA coding for the NADPH-protochlorophyllide oxidoreductase (PCR) of barley (*Hordeum vulgare* L.) and its expression in *Escherichia coli* 355
Schwass V → Neumann H 105
Sedliaková M, Mašek F, Kleibl K: In UV-irradiated *Escherichia coli* PQ35 overproducing the RecA protein, expression of the *sfi*A gene and dimer excision are alleviated 427
Seiß M → Gräbnitz F 70
Séraphin B → Levra-Juillet E 168
Sherratt DJ → Boyd AC 488
Shimada H → Hiratsuka J 185
Shinozaki K → Hiratsuka J 185
Shiota S, Nakayama H: *Micrococcus luteus* homolog of the *Escherichia coli uvrA* gene: Identification of a mutation in the UV-sensitive mutant DB7 332
Sidebotham JM → Hinton JCD 141
Simon M → Levra-Juillet E 168
Sitrit Y → Kless H 471
Slooten J van → Stanley J 528
Smith DW → Jonczyk P 85
Sollitti P → Chow THC 60
Sørensen MB, Cameron-Mills V, Brandt A: Transcriptional and post-transcriptional regulation of gene expression in developing barley endosperm 195
Stanley J, Slooten J van, Dowling DN, Finan T, Broughton WJ: Molecular cloning of the *ntrA* gene of the broad host-range *Rhizobium* sp. NGR234, and phenotypes of a site-directed mutant 528
Staudenbauer WL → Gräbnitz F 70
Steinmüller K → Schulz R 355
Stevenson G → Reeves P 182
Subbarao MN, Apirion D: A precursor for a small stable RNA (10Sa RNA) of *Escherichia coli* 499
Sugiura M → Hiratsuka J 185
Sun C-R → Hiratsuka J 185
Surdin-Kerjan Y → Thomas D 149
Suzuki H → Kato J 178
Szidonya J → Wustmann G 520

Tait RC → Froman BE 126
Tanaka S, Matsushita Y, Yoshikawa A, Isono K: Cloning and molecular characterization of the gene *rimL* which encodes an enzyme acetylating ribosomal protein L12 of *Escherichia coli* K12 289
Tanguay A → Wohlleben W 202
Taniguchi H, Tokida T, Fujita H, Itikawa H: High levels of manganese-containing superoxide dismutase and thermally induced DNA disruption in a *dnaK7*(Ts) mutant of *Escherichia coli* K12 317
Taubert H → Wustmann G 520
Tavantzis SM → Frey M 172
Thomas D, Surdin-Kerjan Y: Structure of the *HOM2* gene of *Saccharomyces cerevisiae* and regulation of its expression 149
Tiboni O → Buttarelli FR 97
Tokida T → Taniguchi H 317
Torrontegui G de → Ortega S 111
Trendelenburg MF → Tröster H 533
Tröster H, Kissel W, Trendelenburg MF, Hofmann A: Restriction analysis of λEMBL3 background recombinants: Occurrence of λ phages carrying a head to tail oriented left arm DNA sequence 533
Tu J, Wang H-R, Chang S-F, Charng Y-C, Lurz R, Dobrinski B, Wu W-C: Transposable elements of *Xanthomonas campestris* pv. *citri* originating from indigenous plasmids 505
Tudzynski P → Oeser B 132
Twell D, Wing R, Yamaguchi J, McCormick S: Isolation and expression of an anther-specific gene from tomato 240

Ueguchi C, Wittekind M, Nomura M, Akiyama Y, Ito K: The *secY-rpmJ* region of the *spc* ribosomal protein operon in *Escherichia coli*: Structural alterations affecting *secY* expression 1

Valla S, Coucheron DH, Fjærvik E, Kjosbakken J, Weinhouse H, Ross P, Amikam D, Benziman M: Cloning of a gene involved in cellulose biosynthesis in *Acetobacter xylinum*: Complementation of cellulose-negative mutants by the UDPG pyrophosphorylase structural gene 26
Vink K → Cleton-Jansen A-M 430
Vögtli M → Birch A 447

Wang H-R → Tu J 505
Warner RL → Melzer JM 341
Weil J-H → Klösgen RB 155
Weinhouse H → Valla S 26
Weiss-Brummer B, Hüttenhofer A: The paromomycin resistance mutation (*par*^{r}-454) in the 15 S rRNA gene of the yeast *Saccharomyces cerevisiae* is involved in ribosomal frameshifting 362
Wengenmayer F → Eckes P 263
Whittier R → Hiratsuka J 185
Willmitzer L → Damm B 6
Willmitzer L → Prat S 209
Wing R → Twell D 240
Wittekind M → Ueguchi C 1
Wohlleben W, Arnold W, Bissonnette L, Pelletier A, Tanguay A, Roy PH, Gamboa GC, Barry GF, Aubert E, Davies J, Kagan SA: On the evolution of Tn *21*-like multiresistance transposons: Sequence analysis of the gene (*aacC1*) for gentamicin acetyltransferase-3-I(AAC(3)-I), another member of the Tn *21*-based expression cassette 202
Wu J → Benjamin PM 370
Wu W-C → Tu J 505
Wustmann G, Szidonya J, Taubert H, Reuter G: The genetics of position – effect variegation modifying loci in *Drosophila melanogaster* 520

Yamaguchi J → Twell D 240
Yoshida K, Kuromitsu Z, Ogawa N, Oshima Y: Mode of expression of the positive regulatory genes *PHO2* and *PHO4* of the phosphatase regulon in *Saccharomyces cerevisiae* 31
Yoshida K, Ogawa N, Oshima Y: Function of the *PHO* regulatory genes for repressible acid phosphatase synthesis in *Saccharomyces cerevisiae* 40
Yoshikawa A → Tanaka S 289

Zillig W → Neumann H 105

Indexed in *Curvent Contents*